Data sheet — CK2304

Digital shower timer

The CK2304 digital bathroom clock helps you keep track of your shower time – with an IP65 rating, 99-minute timer, and both acoustic and visual alerts. Displays temperature, humidity, and a 9-level comfort zone indicator. Shows time in 12/24h format. Includes stand, wall mount, and suction cup. Durable ABS housing – ideal for use in showers and bathrooms.









Item no. CK2304
Colour White

Geo data

Product ready to use		Product ready for dispatch		Packaging unit	
Length	11.2 cm	Length	12.8 cm	Length	42 cm
Width	9.1 cm	Width	10.1 cm	Width	22.1 cm
Height	2.5 cm	Height	3.8 cm	Height	41 cm
Weight	0.161 kg	Weight	0.21 kg	Weight	13 kg
Item EAN	4262379091218	Ready-to-ship packaging	×	PU GTIN	4262379091225
Units per pallet	1680			Quantity per PU	60

Functions

The listed functions describe the special features and advantages of the product that distinguish it from other products and highlight its benefits for the user.

- Splash-proof: IP65 protection
- Timer function – acoustic and visual alert
- Calendar with date display
- Display of temperature and humidity
- For hanging or standing
- Manual time setting
- With suction cup

Attributes

The attributes specify the technical specifications of the product and provide detailed information about its features and performance data.

Area of Application	Indoor
Operation	Buttons, Sensor-Touch
Degrees - Measuring Range	-10 – 50 °C
Degrees - Accuracy	± 2°C
Degrees - Read-Out Accuracy	0.1 °C
Display - Panel Type	LCD
Display - Signal Type	Digital
Display - Width	64 mm
Display - Height	73 mm
Display - Digit Width	10 mm
Display - Digit Height	24 mm
Display - Backlight	No
Footprint Area - Width	7.5 cm
Footprint Area - Length	10 cm
Foot Type	Suction Feet, Foldable Feet
Has Care Instructions - Available	✓
Has Warning Notice - Available	✓
Humidity - Measuring Range	20 – 95 %
Humidity - Accuracy	± 5%
Humidity - Read-Out Accuracy	1 %
Instrument Types	Thermometer, Hygrometer

Manually Operable - Available	✓
Power Supply - Power Source	Battery
Protection - Ingress Protection	IP65
Recommended Area of Application	Human
Selectable Units	°C, °F
Surface	matte
Time Settings	h, min
Alarm - Type	Audible, Visual
Alarm - Volume progression	Constant volume
Alarm - Signal pattern	Intermittent
Alarm - Key press sound	Not available
Weather station features - Climate features	Timer function, Comfort indicator
Key press sound	Not available

Materials

The material section provides information about the materials used and, where applicable, their proportions.

Housing	ABS Plastic

Batteries

The batteries section provides information about the required battery types as well as, where applicable, the quantity and inclusion in the delivery.

Battery 1

Size	AAA
Composition	Zinc-Carbon
Weight	11 g
Rated voltage	1.5 V
Discharge cutoff voltage	0.9 V
Max discharge current	1 A
Included	✓
Consumer	Item

Quantity	2