Weather station

The ADE WS2136 weather station features barometric, animated forecasts (sun, clouds, rain), indoor/outdoor temperature (°C/°F), and humidity (20–95 %). A DCF radio-controlled clock with alarm and snooze, memory function, and white LED display complete its functions. The battery-powered base unit is designed for tabletop use, the sensor is suitable for table use or wall mounting.









Item no. WS2136-1
Colour Black



Item no. WS2136-2
Colour White

Geo data

Product ready to use		Product ready for dispatch		Packaging unit	
Length	12.7 cm	Length	13.7 cm	Length	22.9 cm
Width	8.6 cm	Width	9.8 cm	Width	15.4 cm
Height	4.1 cm	Height	5.3 cm	Height	13 cm
Weight	0.156 kg	Weight	0.26 kg	Weight	1.162 kg
Item EAN	4260578585095	Ready-to-ship packaging	×	PU GTIN	4260578585101
Units per pallet	1000			Quantity per PU	4

Functions

The listed functions describe the special features and advantages of the product that distinguish it from other products and highlight its benefits for the user.

- Animated weather forecast
- Display of temperature and humidity (indoor and outdoor)
- Min/Max for temperature and humidity
- Automatic and manual time setting
- 1 alarm time with snooze function
- 12/24 h display
- For hanging or standing

Attributes

The attributes specify the technical specifications of the product and provide detailed information about its features and performance data.

Area of Application	Indoor
Memory Slots	1 alarm time
Operation	Buttons
Degrees - Measuring Range	-20 – 50 °C
Degrees - Accuracy	± 2°C
Degrees - Read-Out Accuracy	0.1 °C
Display - Panel Type	LCD
Display - Signal Type	Digital
Display - Backlight Time	8 sec
Display - Width	82 mm
Display - Height	51 mm
Display - Digit Width	7 mm
Display - Digit Height	20 mm
Display - Backlight	temporary
Footprint Area - Width	4 cm
Footprint Area - Length	12.5 cm
Has Care Instructions - Available	✓
Has Warning Notice - Available	✓
Humidity - Measuring Range	20 – 95 %
Humidity - Accuracy	± 5%
Humidity - Read-Out Accuracy	1 %

Instrument Types	Thermometer, Hygrometer, DCF
Power Supply - Power Source	Battery
Power Supply - Voltage	1.5 – 1.5 V
Recommended Area of Application	Human
Selectable Units	°F, °C
Surface	lacquered
Time Settings	h, min, sec
Alarm - Mode	1 alarm time
Alarm - Type	Audible, Visual
Alarm - Volume progression	Constant volume
Alarm - Signal pattern	Ascending sequence
Alarm - Key press sound	Not available
Weather station features - Climate features	Animated weather forecast
Key press sound	Not available

Materials

The material section provides information about the materials used and, where applicable, their proportions.

Housing	ABS Plastic

Batteries

The batteries section provides information about the required battery types as well as, where applicable, the quantity and inclusion in the delivery.

Battery 1

Included	✓
Consumer	Item
Quantity	2
Size	AA
Composition	Zinc-Carbon
Weight	25 g
Rated voltage	1.5 V

Discharge cutoff voltage	0.9 V
Max discharge current	2 A

Battery 2

Included	✓
Consumer	Item
Quantity	2
Size	AAA
Composition	Zinc-Carbon
Weight	11 g
Rated voltage	1.5 V
Discharge cutoff voltage	0.9 V
Max discharge current	1 A

Spare Parts

The spare parts section contains information about available spare and accessory parts that are sold separately.