

Data sheet — BE1722

Digital bathroom scale

The BE1722 Ylvie scale combines elegant glass design with a refined black and white colour scheme. It features a 6 mm tempered glass platform, step-on activation, LCD display (74 × 28 mm), overload and low battery indicators, and auto shut-off. Weight units: kg/lb. Capacity: 180 kg, graduation: 100 g.





Item no. BE1722
Colour Black/Silver

Geo data

Product ready to use		Product ready for dispatch		Packaging unit	
Length	30.2 cm	Length	31.6 cm	Length	14.9 cm
Width	30.2 cm	Width	33 cm	Width	34.5 cm
Height	1.7 cm	Height	3.3 cm	Height	33.2 cm
Weight	1.53 kg	Weight	1.76 kg	Weight	7.18 kg
Item EAN	4260336177432	Ready-to-ship packaging	×	PU GTIN	4260336177449
Units per pallet	272			Quantity per PU	4

Functions

The listed functions describe the special features and advantages of the product that distinguish it from other products and highlight its benefits for the user.

- Timeless design
- Battery level display and automatic switch-off
- Non-slip feet

Attributes

The attributes specify the technical specifications of the product and provide detailed information about its features and performance data.

Area of Application	Indoor use
Operation	Step-on
Display - Panel Type	LCD
Display - Signal Type	Digital
Display - Width	74 mm
Display - Height	28 mm
Display - Digit Width	14 mm
Display - Digit Height	25 mm
Display - Backlight	No
Footprint Area - Width	30 cm
Footprint Area - Length	30 cm
Foot Type	Silicone Feet
Has Auto-Stop - Available	✓
Has Care Instructions - Available	✓
Has Warning Notice - Available	✓
Power Supply - Power Source	Battery
Recommended Area of Application	Human
Scale Type	Single Range Scale
Selectable Units	kg, lb
Surface	Glass
Weighing Surface - Width	30 cm
Weighing Surface - Length	30 cm
Weight Unit - Measuring Range	5 – 180 kg
Weight Unit - Read-out accuracy	100 g

Weight Unit - Accuracy	± 100g

Materials

The material section provides information about the materials used and, where applicable, their proportions.

Weighing Surface	Safety Glass
Housing	ABS Plastic

Batteries

The batteries section provides information about the required battery types as well as, where applicable, the quantity and inclusion in the delivery.

Battery 1

Size	CR2032
Composition	Lithium
Weight	4 g
Rated voltage	3 V
Discharge cutoff voltage	2 V
Max discharge current	0.3 A
Included	✓
Consumer	Item
Quantity	1