Data sheet — CK2302

Digital radio-controlled wall clock

This XXL radio-controlled clock features a 37 cm wide display with 11 cm tall digits for superb readability. Automatic or manual time setting via DCF signal, daily alarm with 4-step crescendo, indoor temperature (°C/°F), calendar in 7 languages, sensor-touch backlight, battery indicator. Wall-mount or freestanding, ABS housing.









Item no. CK2302
Colour Black

Geo data

Product ready to use		Product ready for dispatch		Packaging unit	
Length	36.9 cm	Length	38.5 cm	Length	48.5 cm
Width	16.8 cm	Width	18.8 cm	Width	40.5 cm
Height	3.1 cm	Height	4.5 cm	Height	40.5 cm
Weight	0.759 kg	Weight	0.99 kg	Weight	20.8 kg
Item EAN	4262379091195	Ready-to-ship packaging	×	PU GTIN	4262379091201
Units per pallet	320			Quantity per PU	20

Functions

The listed functions describe the special features and advantages of the product that distinguish it from other products and highlight its benefits for the user.

- Calendar with date display (DE, DK, EN, ES, FR, IT, NL)
- Display of temperature
- Automatic and manual time setting
- 12/24 h display
- For hanging or standing

Attributes

The attributes specify the technical specifications of the product and provide detailed information about its features and performance data.

Area of Application	Indoor use
Memory Slots	1 alarm time
Operation	Buttons
Degrees - Measuring Range	-9.9 – 50 °C
Degrees - Accuracy	± 1°C
Degrees - Read-Out Accuracy	0.1 °C
Display - Panel Type	LCD
Display - Signal Type	Digital
Display - Width	341 mm
Display - Height	127 mm
Display - Digit Width	52 mm
Display - Digit Height	110 mm
Display - Backlight	No
Has Care Instructions - Available	✓
Has Warning Notice - Available	✓
Instrument Types	Thermometer, DCF
Power Supply - Power Source	Battery
Recommended Area of Application	Human
Selectable Units	°C, °F
Surface	matte
Time Settings	h, min

Materials

The material section provides information about the materials used and, where applicable, their proportions.

Housing	ABS Plastic

Batteries

The batteries section provides information about the required battery types as well as, where applicable, the quantity and inclusion in the delivery.

Battery 1

Size	AA
Composition	Zinc-Carbon
Weight	25 g
Rated voltage	1.5 V
Discharge cutoff voltage	0.9 V
Max discharge current	2 A
Included	✓
Consumer	Item
Quantity	4