Data sheet — WS2322

Digital thermo/hygrometer

The WS2322 digital thermo-hygrometer helps reduce heating costs and prevent mould. It neatly displays indoor temperature (°C/°F), humidity (% RH), and time (12-/24-hour format). Min/max values are accessible at the press of a button. Made of high-quality ABS plastic, it can be wall-mounted or freestanding.













Item no. WS2322
Colour White

Geo data

Product ready to use		Product ready for dispatch		Packaging unit	
Length	12 cm	Length	13 cm	Length	16 cm
Width	6.8 cm	Width	3.5 cm	Width	14.8 cm
Height	3 cm	Height	8 cm	Height	18.5 cm
Weight	0.071 kg	Weight	0.11 kg	Weight	1.057 kg
Item EAN	4262379092918	Ready-to-ship packaging	×	PU GTIN	4262379092925
Units per pallet	2880			Quantity per PU	8

Functions

The listed functions describe the special features and advantages of the product that distinguish it from other products and highlight its benefits for the user.

- Display of temperature and humidity
- Min./Max. for temperature and humidity
- Calendar with date display
- Display of time
- 12/24 h display
- 1 alarm time
- For hanging or standing

Attributes

The attributes specify the technical specifications of the product and provide detailed information about its features and performance data.

Area of Application	Indoor use
Memory Slots	1 alarm time
Operation	Buttons
Degrees - Measuring Range	0 – 50 °C
Degrees - Accuracy	± 1°C
Degrees - Read-Out Accuracy	1 °C
Display - Panel Type	LCD
Display - Signal Type	Digital
Display - Width	95 mm
Display - Height	45 mm
Display - Digit Width	10 mm
Display - Digit Height	18 mm
Display - Backlight	No
Footprint Area - Width	12 cm
Footprint Area - Length	3 cm
Foot Type	Foldable Feet
Has Care Instructions - Available	✓
Has Warning Notice - Available	✓
Humidity - Measuring Range	10 – 99 %
Humidity - Accuracy	± 1%
Humidity - Read-Out Accuracy	1 %

Instrument Types	Thermometer, Hygrometer
Power Supply - Power Source	Battery
Recommended Area of Application	Human
Selectable Units	°C, °F
Surface	matte
Time Settings	h, min
Alarm - Mode	1 alarm time
Alarm - Type	Audible
Alarm - Volume progression	Constant volume
Alarm - Key press sound	Always active
Key press sound	Always active

Materials

The material section provides information about the materials used and, where applicable, their proportions.

Housing	ABS Plastic

Batteries

The batteries section provides information about the required battery types as well as, where applicable, the quantity and inclusion in the delivery.

Battery 1

Size	AAA
Composition	Zinc-Carbon
Weight	11 g
Rated voltage	1.5 V
Discharge cutoff voltage	0.9 V
Max discharge current	1 A
Included	✓
Consumer	Item
Quantity	1