# Electric can opener

The KG2505-1 electric can opener offers effortless operation at the touch of a button. Ideal for users with reduced hand strength, it securely grips and automatically rotates around the can. The precision cutting mechanism ensures no sharp edges. Designed with comfort in mind, it features an ergonomic shape, durable stainless steel and ABS housing, and a built-in magnet and hook for lid removal and pressurised cans.










Item no. KG2505-1
Colour Black/Stainless steel

## Geo data

| Product ready to use | | Product ready for dispatch | | Packaging unit | |
|---|---|---|---|---|---|
| Length | 17.7 cm | Length | 22.5 cm | Length | 33.9 cm |
| Width | 6.8 cm | Width | 9 cm | Width | 20.8 cm |
| Height | 6.8 cm | Height | 8 cm | Height | 22.8 cm |
| Weight | 0.42 kg | Weight | 0.52 kg | Weight | 4.525 kg |
| Item EAN | 4262379096527 | Ready-to-ship packaging | × | PU GTIN | 4262379096510 |
| Units per pallet | 560 | | | Quantity per PU | 8 |

## Functions

The listed functions describe the special features and advantages of the product that distinguish it from other products and highlight its benefits for the user.

- Automatically circles the can
- No sharp edges thanks to precise cutting mechanism
- Ergonomic design
- Durable and robust housing made of ABS plastic
- Built-in magnet lifts the lid
- Built-in hook for opening cans with high internal pressure

## Attributes

The attributes specify the technical specifications of the product and provide detailed information about its features and performance data.

| | |
|---|---|
| Area of Application | Indoor use |
| Operation | Button |
| Has Care Instructions - Available | ✓ |
| Has Warning Notice - Available | ✓ |
| Power Supply - Power Source | Battery |
| Surface | matte |

## Materials

The material section provides information about the materials used and, where applicable, their proportions.

| | |
|---|---|
| Housing | ABS Plastic |

## Batteries

The batteries section provides information about the required battery types as well as, where applicable, the quantity and inclusion in the delivery.

### Battery 1

| | |
|---|---|
| Size | AA |
| Composition | Zinc-Carbon |
| Weight | 25 g |
| Rated voltage | 1.5 V |

| | |
|---|---|
| Discharge cutoff voltage | 0.9 V |
| Max discharge current | 2 A |
| Included | ✓ |
| Consumer | Item |
| Quantity | 4 |