Data sheet — WS2303

Digital thermo/hygrometer

The ADE WS2303 set includes 3 digital thermo-hygrometers for whole-home climate monitoring. Each device displays temperature (°C/°F) and humidity (% RH) with a 5-level comfort indicator using expressive smiley icons. Featuring a large, easy-to-read display and options for wall-mounting or freestanding use. Dimensions per unit: 44 x 15 x 44 mm.





Item no. WS2303
Colour White

Geo data

Product ready to use		Product ready for dispatch		Packaging unit	
Length	4.5 cm	Length	15.5 cm	Length	32.5 cm
Width	4.5 cm	Width	5.7 cm	Width	17 cm
Height	1.5 cm	Height	3 cm	Height	31 cm
Weight	0.081 kg	Weight	0.11 kg	Weight	5.7 kg
Item EAN	4262379091249	Ready-to-ship packaging	×	PU GTIN	4262379091980
Units per pallet	2000			Quantity per PU	50

Functions

The listed functions describe the special features and advantages of the product that distinguish it from other products and highlight its benefits for the user.

- Comfort indicator
- Display of temperature and humidity
- Min/Max for temperature and humidity
- For hanging or standing
- Magnetic suspension

Attributes

The attributes specify the technical specifications of the product and provide detailed information about its features and performance data.

Area of Application	Indoor use
Operation	Buttons
Degrees - Measuring Range	-10 – 50 °C
Degrees - Accuracy	± 1°C
Degrees - Read-Out Accuracy	0.1 °C
Display - Panel Type	LCD
Display - Signal Type	Digital
Display - Width	33 mm
Display - Height	33 mm
Display - Digit Width	9 mm
Display - Digit Height	19 mm
Display - Backlight	No
Has Care Instructions - Available	✓
Has Warning Notice - Available	✓
Humidity - Measuring Range	20 – 95 %
Humidity - Accuracy	± 1%
Humidity - Read-Out Accuracy	1 %
Instrument Types	Thermometer, Hygrometer
Power Supply - Power Source	Battery
Recommended Area of Application	Human
Selectable Units	°C, °F
Surface	matte

Materials

The material section provides information about the materials used and, where applicable, their proportions.

Housing	ABS Plastic

Batteries

The batteries section provides information about the required battery types as well as, where applicable, the quantity and inclusion in the delivery.

Battery 1

Included	✓
Consumer	Item
Quantity	3
Size	CR2032
Composition	Lithium
Weight	4 g
Rated voltage	3 V
Discharge cutoff voltage	2 V
Max discharge current	0.3 A