Digital BBQ thermometer

The BBQ2502-1 digital thermometer from ADE features two stainless steel probes with extra thin tip (ø 2.5 mm) for precise dual monitoring. Pre-set meat types and doneness levels, custom temperature option, timer and sound alert ensure accurate cooking. With a large backlit LCD, 1 m heat-resistant cables, magnetic mount and stand. Heatproof to 380 °C.









Item no. BBQ2502-1
Colour Black/Silver

Geo data

Product ready to use		Product ready for dispatch		Packaging unit	
Length	8 cm	Length	8.9 cm	Length	19.2 cm
Width	8.8 cm	Width	3.4 cm	Width	12.1 cm
Height	2.8 cm	Height	19.5 cm	Height	21.5 cm
Weight	0.13 kg	Weight	0.17 kg	Weight	1.11 kg
Item EAN	4262379096176	Ready-to-ship packaging	×	PU GTIN	4262379096695
Units per pallet	1680			Quantity per PU	6

Functions

The listed functions describe the special features and advantages of the product that distinguish it from other products and highlight its benefits for the user.

- 2 stainless steel probes with extra-thin tip (Ø 2.5 mm)
- 5 types of meat (beef, pork, chicken, minced meat, fish)
- 3 preset cooking levels
- Individual temperature settings possible
- Acoustic alert when target temperature is reached
- Integrated timer function
- Magnetic suspension and stand
- Probe and cable heat resistant up to 380 °C

Attributes

The attributes specify the technical specifications of the product and provide detailed information about its features and performance data.

Area of Application	Indoor, Outdoor
Operation	Buttons, Switch
Degrees - Measuring Range	-20 – 250 °C
Degrees - Accuracy	± 1°C
Degrees - Read-Out Accuracy	0.1 °C
Display - Panel Type	LCD
Display - Signal Type	Digital
Display - Backlight Time	10 sec
Display - Width	61 mm
Display - Height	44 mm
Display - Digit Width	4 mm
Display - Digit Height	9 mm
Display - Backlight	temporary
Has Warning Notice - Available	✓
Instrument Types	Thermometer
Power Supply - Power Source	Battery
Recommended Area of Application	Food
Selectable Units	°C, °F
Suitable Food Types	Meat
Surface	matte
Time Settings	99 min, 59 sec

Washing Instructions	Hand Wash Only

Materials

The material section provides information about the materials used and, where applicable, their proportions.

Housing	ABS Plastic

Batteries

The batteries section provides information about the required battery types as well as, where applicable, the quantity and inclusion in the delivery.

Battery 1

Size	AAA
Composition	Zinc-Carbon
Weight	11 g
Rated voltage	1.5 V
Discharge cutoff voltage	0.9 V
Max discharge current	1 A
Included	✓
Consumer	Item
Quantity	2

Spare Parts

The spare parts section contains information about available spare and accessory parts that are sold separately.