Data sheet — WS1702

Digital thermo/hygrometer

The WS1702 digital thermo-hygrometer combines style and precision in a bamboo and ABS housing. Displays temperature and humidity with memory for min/max values and a comfort zone indicator (dry, optimal, humid). Large LCD (74 x 52 mm), suitable for wall mounting or tabletop use. Units: °C / °F.










Item no. WS1702
Colour Bamboo/White

Geo data

Product ready to use		Product ready for dispatch		Packaging unit	
Length	9.9 cm	Length	11 cm	Length	23 cm
Width	8 cm	Width	9.2 cm	Width	17.2 cm
Height	1.5 cm	Height	2.4 cm	Height	11.8 cm
Weight	0.071 kg	Weight	0.1 kg	Weight	1.4 kg
Item EAN	4260336175964	Ready-to-ship packaging	×	PU GTIN	4260336175971
Units per pallet	1008			Quantity per PU	12

Functions

The listed functions describe the special features and advantages of the product that distinguish it from other products and highlight its benefits for the user.

- Display of temperature and humidity
- Min./Max. for temperature and humidity
- Comfort indicator
- For hanging or standing

Attributes

The attributes specify the technical specifications of the product and provide detailed information about its features and performance data.

Area of Application	Indoor
Operation	Buttons
Degrees - Measuring Range	0 – 50 °C
Degrees - Accuracy	± 2°C
Degrees - Read-Out Accuracy	0.1 °C
Display - Panel Type	LCD
Display - Signal Type	Digital
Display - Width	74 mm
Display - Height	52 mm
Display - Digit Width	8 mm
Display - Digit Height	15 mm
Display - Backlight	No
Footprint Area - Width	10 cm
Footprint Area - Length	5 cm
Foot Type	Foldable Feet
Has Care Instructions - Available	✓
Has Warning Notice - Available	✓
Humidity - Measuring Range	20 – 95 %
Humidity - Accuracy	± 5%
Humidity - Read-Out Accuracy	1 %
Instrument Types	Thermometer, Hygrometer
Power Supply - Power Source	Battery
Recommended Area of Application	Human
Selectable Units	°C, °F

Surface	untreated
Weather station features - Climate features	Comfort indicator

Materials

The material section provides information about the materials used and, where applicable, their proportions.

Housing	ABS Plastic

Batteries

The batteries section provides information about the required battery types as well as, where applicable, the quantity and inclusion in the delivery.

Battery 1

Size	CR2025
Composition	Lithium
Weight	3 g
Rated voltage	3 V
Discharge cutoff voltage	2 V
Max discharge current	0.1 A
Included	✓
Consumer	Item
Quantity	1