Data sheet — CK2306

Digital radio-controlled alarm clock

The ADE CK2306 radio-controlled alarm clock offers precise timekeeping with automatic and manual DCF settings. It features a sensor snooze button, indoor temperature display in °C and °F, and a perpetual calendar with weekday in 7 languages. Sensor-touch backlight and a battery level indicator ensure comfort and reliability. With wall and table placement options, it suits any environment.









Item no. CK2306
Colour Grey



Item no. CK2306-1
Colour White



Item no. CK2306-2
Colour White



Item no. CK2306-3
Colour



Item no. CK2306-4
Colour Pink

Geo data

Product ready to use		Product ready for dispatch		Packaging unit	
Length	10.1 cm	Length	10.9 cm	Length	29 cm
Width	6.2 cm	Width	7.5 cm	Width	24.8 cm
Height	3.9 cm	Height	5.2 cm	Height	34 cm
Weight	0.13 kg	Weight	0.17 kg	Weight	7.2 kg
Item EAN	4262379091485			PU GTIN	4262379091478

Units per pallet	1440	Ready-to-ship packaging	×	Quantity per PU	40

Functions

The listed functions describe the special features and advantages of the product that distinguish it from other products and highlight its benefits for the user.

- 1 alarm time with snooze function
- Calendar with date display
- Temperature display
- Automatic and manual time setting
- 12/24 h display
- Non-slip base

Attributes

The attributes specify the technical specifications of the product and provide detailed information about its features and performance data.

Area of Application	Indoor
Memory Slots	1 alarm time
Operation	Buttons, Sensor-Touch
Degrees - Measuring Range	-10 – 60 °C
Degrees - Accuracy	± 2°C
Degrees - Read-Out Accuracy	0.1 °C
Display - Panel Type	LCD
Display - Signal Type	Digital
Display - Backlight Time	5 sec
Display - Width	82 mm
Display - Height	44 mm
Display - Digit Width	12 mm
Display - Digit Height	25 mm
Display - Backlight	temporary
Footprint Area - Width	4 cm
Footprint Area - Length	10.4 cm
Foot Type	Silicone Feet

Has Care Instructions - Available	✓
Has Warning Notice - Available	✓
Instrument Types	Thermometer, DCF
Recommended Area of Application	Human
Selectable Units	°F, °C
Surface	matte
Time Settings	h, min, sec
Alarm - Mode	1 alarm time
Alarm - Type	Audible, Visual
Alarm - Volume progression	Constant volume
Alarm - Signal pattern	Ascending sequence
Alarm - Key press sound	Not available
Key press sound	Not available

Materials

The material section provides information about the materials used and, where applicable, their proportions.

Housing	ABS Plastic

Batteries

The batteries section provides information about the required battery types as well as, where applicable, the quantity and inclusion in the delivery.

Battery 1

Size	AAA
Composition	Zinc-Carbon
Weight	11 g
Rated voltage	1.5 V
Discharge cutoff voltage	0.9 V
Max discharge current	1 A
Included	✓
Consumer	Item

Quantity	2