Data sheet — WS1832

Digital fridge thermometer

The WS1832 fridge and freezer thermometer from ADE monitors cooling temperatures with precision. Displays °C/°F with MIN/MAX values. Features a large LCD (45 x 35 mm), and can be mounted via magnet, suction cup, hook, or used freestanding. Temperature range: –20 °C to 60 °C. Compact and user-friendly.









Item no. WS1832
Colour Black

Geo data

Product ready to use		Product ready for dispatch		Packaging unit	
Length	6 cm	Length	11 cm	Length	17.5 cm
Width	9.7 cm	Width	7.5 cm	Width	12.5 cm
Height	1.4 cm	Height	2.6 cm	Height	17 cm
Weight	0.041 kg	Weight	0.07 kg	Weight	0.92 kg
Item EAN	4260336179443	Ready-to-ship packaging	×	PU GTIN	4260336179450
Units per pallet	2580			Quantity per PU	12

Functions

The listed functions describe the special features and advantages of the product that distinguish it from other products and highlight its benefits for the user.

- Display of temperature
- Min./Max. for temperature
- Simple operation with ON/OFF button
- For hanging or standing
- Suction cup and magnetic mounting

Attributes

The attributes specify the technical specifications of the product and provide detailed information about its features and performance data.

Area of Application	Indoor use
Operation	Buttons
Degrees - Measuring Range	-20 – 50 °C
Degrees - Accuracy	± 1°C
Degrees - Read-Out Accuracy	0.1 °C
Display - Panel Type	LCD
Display - Signal Type	Digital
Display - Width	46 mm
Display - Height	35 mm
Display - Digit Width	13 mm
Display - Digit Height	29 mm
Display - Backlight	No
Foot Type	Foldable Feet, Suction Feet
Has Care Instructions - Available	✓
Has Warning Notice - Available	✓
Instrument Types	Thermometer
Power Supply - Power Source	Battery
Recommended Area of Application	Human
Selectable Units	°C, °F
Surface	lacquered
Weather station features - Climate features	Frost alert
Key press sound	Not available

Materials

The material section provides information about the materials used and, where applicable, their proportions.

Housing	ABS Plastic

Batteries

The batteries section provides information about the required battery types as well as, where applicable, the quantity and inclusion in the delivery.

Battery 1

Size	CR2032
Composition	Lithium
Weight	4 g
Rated voltage	3 V
Discharge cutoff voltage	2 V
Max discharge current	0.3 A
Included	✓
Consumer	Item
Quantity	1