Digital radio-controlled alarm clock

This digital radio-controlled alarm clock features an extra-large snooze button for easy wake-up comfort. It includes DCF signal reception, automatic DST adjustment, indoor temperature (°C/°F), date and weekday in 7 languages. Large LCD (128 × 44 mm), backlight on demand, angled base for better visibility. Available in bamboo (CK1940), black (CK1703-2) and white (CK1703-1).









Item no. CK1703-1
Colour White



Item no. CK1703-2
Colour Black

Geo data

Product ready to use		Product ready for dispatch		Packaging unit	
Length	16.5 cm	Length	17.8 cm	Length	19.3 cm
Width	8.7 cm	Width	9.5 cm	Width	20 cm
Height	4 cm	Height	4.5 cm	Height	12 cm
Weight	0.2 kg	Weight	0.24 kg	Weight	1.11 kg
Item EAN	4260578581950	Ready-to-ship packaging	×	PU GTIN	4260578581967
Units per pallet	1000			Quantity per PU	4

Functions

The listed functions describe the special features and advantages of the product that distinguish it from other products and highlight its benefits for the user.

- 1 alarm time with snooze function
- Calendar with date display
- Temperature display
- Automatic and manual time setting
- 12/24 h display

Attributes

The attributes specify the technical specifications of the product and provide detailed information about its features and performance data.

Area of Application	Indoor use
Memory Slots	1 alarm time
Operation	Buttons
Degrees - Measuring Range	-10 – 60 °C
Degrees - Accuracy	± 1°C
Degrees - Read-Out Accuracy	0.1 °C
Display - Panel Type	LCD
Display - Signal Type	Digital
Display - Backlight Time	5 sec
Display - Width	127 mm
Display - Height	43 mm
Display - Digit Width	20 mm
Display - Digit Height	26 mm
Display - Backlight	temporary
Has Care Instructions - Available	✓
Has Warning Notice - Available	✓
Instrument Types	Thermometer, DCF
Power Supply - Power Source	Battery
Power Supply - Voltage	1.5 – 1.5 V
Recommended Area of Application	Human
Selectable Units	°C, °F
Surface	matte
Time Settings	h, min, sec

Materials

The material section provides information about the materials used and, where applicable, their proportions.

Housing	ABS Plastic

Batteries

The batteries section provides information about the required battery types as well as, where applicable, the quantity and inclusion in the delivery.

Battery 1

Size	AA
Composition	Zinc-Carbon
Weight	25 g
Rated voltage	1.5 V
Discharge cutoff voltage	0.9 V
Max discharge current	2 A
Included	✓
Consumer	Item
Quantity	2